




# ONA DRAPERY HARDWARE



MASTER CATALOG#52

# \_ONA™ Ona Drapery Hardware



C na Drapery Hardware is your source for custom made drapery hardware. We manufacture every rod set to order using only premium heavy gauge steel, wrought iron, crystal and more.

omething for everyone. From traditional to contemporary, we offer many choices of styles and finishes to meet your every need.

**3** orm and function. Our patented ONAVERSE™ cord traverse system is available in our 1-5/8" iron rods. Featuring a concealed mechanism, this unique decorative traverse rod is quiet and easy to operate.

 $w_{\rm e}$  pride ourselves on quality workmanship, timely delivery and customer satisfaction. Select Ona Drapery Hardware and order with confidence.








Master Catalog #52, effective May 15<sup>th</sup>, 2014

#### **TABLE OF CONTENTS:**

STANDARD FINISHES	2
PREMIUM - GLOSS FINISHES	5
SUPER PREMIUM - PLATED FINISHES	6
IRON RODS	7
FRENCH RODS, ½" & ¾" DIAMETER	8
FRENCH RODS, 1" & 1-5/8" DIAMETER	9
RINGS	11
SPLICES, BAY RODS & CURVED RODS	12
BATONS, WINDOW CRANES & SCROLL RODS	13
ONAVERSE™ IRON TRAVERSE ROD	14
GROMMAVERSE™ IRON TRAVERSE ROD	15
ONA ACRYLIC RODS 1-5/8" DIAMETER	16
ONARAIL <sup>TM</sup>	18
FINIALS	19
IRON FINIALS FOR ½" RODS	20
IRON FINIALS FOR ¾" & 1" RODS	24
IRON FINIALS FOR 1-5/8" RODS	31
CRYSTAL FINIALS	36
CRYSTAL HOLDBACKS	37
CRYSTAL DROP FINIALS	38
ONALUX™ FINIALS	39
ONALUX™ HOLDBACKS	39
ONA ARTGLASS FINIALS	42
ONA ARTGLASS HOLDBACKS	44
BRACKETS	45
HOLDBACKS & SWAG HOLDERS	60
HOOKS & PEGS	61
ROSETTES	62
NOVELTY ROSETTES	67
CENTERPIECES	68
SAMPLES	69

All prices include a standard finish of your choice. All of our standard finishes are hand done in house by our skilled artisans. Premium gloss and Super premium plated finishes are available for a surcharge.






All prices include a standard finish of your choice. All of our standard finishes are hand done in house by our skilled artisans. Premium gloss and Super premium plated finishes are available for a surcharge.



All prices include a standard finish of your choice. All of our standard finishes are hand done in house by our skilled artisans. Premium gloss and Super premium plated finishes are available for a surcharge.





All prices include a standard finish of your choice. All of our standard finishes are hand done in house by our skilled artisans. Premium gloss and Super premium plated finishes are available for a surcharge.





Our premium gloss finishes feature a beautiful sheen and are available in a variety of popular color ways. Surcharges apply. Additional lead time required.



#### **SUPER PREMIUM - PLATED FINISHES**

Stunning hand polished and plated finishes are available on all of our smooth round rods and hardware. Choose Polished Chrome for a spectacular bright finish or Polished Nickel for a slightly warmer hue. Our Polished Copper and Polished Brass are un-lacquered "Living Finishes" that will naturally darken and develop a lustrous patina over time. An optional clear coat may be specified to

# maintain a bright look if preferred. We suggest selecting smooth finials for the most even appearance. Highly detailed finials will show contrast once plated. Surcharges apply. Additional lead time required. **Polished Nickel** Matching screw caps included. **Polished Chrome** Matching screw caps included. Polished Copper - un-lacquered "living finish" Matching screw caps included. Polished Brass - un-lacquered "living finish" **Matte Brass - optional**



Matching screw caps included.

#### **IRON RODS**

All iron rods are cut exactly to the length you specify. The following rod styles and sizes are available. Rod sections are shown in actual size. *Standard finishes are included in pricing. Premium and Super premium finishes available. Surcharges apply.* We can ship rods up to 118" in one piece with standard shipping service. For rods longer than 118" we recommend splicing. If you require a one piece rod longer than 118" please call for a freight quote.

**%" Round** (bracket required every 60")

Finish: Gilt



**1/2" Twist** (bracket required every 60")

Finish: Heirloom



**Y" Square** (bracket required every 60") Finish: Havannah



**"Y" Square Hammered** (bracket required every 60") Finish: Natural Iron



**%" Round** (bracket required every 72")
Finish: Sepia



**%" Round Hammered** (bracket required every 72")
Finish: Aged Iron



**1" Round** (bracket required every 108") Finish: Versailles



**¾" Twist** (bracket required every 72")
(Use 1½" I.D. rings or larger. 1" I.D. rings will <u>not</u> work.)
Finish: Burnished Bronze



**1" Square** (bracket required every 108") Finish: Brushed Nickel



**1" Square Hammered** (bracket required every 108") (This rod is difficult to traverse. 2" rings are recommended.) Finish: Bronze



\*1-5/8" Round (bracket required every 120") \*Available with **ONAVERSE™** cord traverse system. Finish: Black




# FRENCH RODS, ½" & ¾" DIAMETER

One of the most popular drapery hardware styles right now are French Rods that return to the wall. We offer many options to configure these rods to your application.







French Rods for ½" and ¾" diameter rods are solid. We Heat & Bend the returns to the rod in one piece. The return ends are drilled to slip onto pinned bases. Provide Face width measurement when ordering. Standard projection is 3½" to rod center. Please specify if you require a custom projection. Minimum projection available is 1½". Specify base style. Center supports are recommended for rods over 60". Swivel base brackets are recommended as center supports and can be ordered with coordinating bases. Café brackets are suggested as center supports for ½" rods using Café bases under 3½" projection.

#### Fasy to order.

- 1. Specify: Face With, Rod Style, Pinned Base Style and Finish.
- 2. Standard projection is 3½" measured to the rod center. Please specify if you require a custom projection.
- 3. Order additional brackets, rings and batons as needed.
- 4. Pricing: Rod cost = face width + return lengths rounded up to the next full foot + each heat & bend return (returns include pinned bases of your choice).



# Standard Pinned Base Base is 1" x 4" Finish: Sepia



# Round Pinned Base Base is 2" round Finish: Sepia



## **Square Pinned Base**

Base is 1½" x 3½" Finish: Sepia



#### **Café Pinned Base**

For ½" rods only. Base is ½" x 2" Finish: *Sepia* 







# FRENCH RODS, 1" & 1-5/8" DIAMETER

One of the most popular drapery hardware styles right now are French Rods that return to the wall. We offer many options to configure these rods to your application.






French Rods for 1" and 1-5/8" diameter rods are hollow. Returns are sold separately and splice into the rod ends. Returns without bases require brackets. Returns with welded bases suspend the rod and allow for direct installation. Standard projection is 3½" to rod center. 6" projection available at no extra charge (6½" for 1-5/8" rods). Custom projection available at an extra charge. Provide Face width measurement when ordering. **Center supports are recommended for rods over 96". See coordinating bracket section.** 

#### Easy to order,

- 1. Specify: \*Face With, Rod Style, Return Style and Finish. \* We will cut rods to the appropriate length to equal your specified face width.
- 2. Standard projection is 3½" measured to the rod center. Please specify if you require a custom projection.
- 3. Order additional brackets, rings and batons as needed.
- 4. Pricing: Rod cost = Face width 10" (for returns) rounded up to the next full foot + each return.

#### Return

Splices into rod end. Adds approximately 5" per side. Brackets are required.



#### Return with \*Base

Splices into rod end. Adds approximately 5" per side. \*Specify base style.



Assembly Shown







1" ROUND RETURNS FOR FRENCH RODS		
	Return Specify 3½" or 6" projection. Brackets are required. Finish Shown: Polished Nickel	
	Return with Standard Base Specify 3½" or 6" projection. Base: 1" W x 4" L Finish Shown: Versailles	
*Do not use with heavy treatments.	Return with Horizontal Standard Base* Specify 3½" or 6" projection. Base: 4" W x 1" L Finish Shown: Versailles	
	Return with Deco Base Specify 3½" or 6" projection. Base: 1½" W x 3½" L Finish Shown: Brushed Nickel	
	Return with Square Base Specify 3½" or 6" projection. Base: 1½" W x 3" L Finish Shown: Sepia	
	Return with Round Base Specify 3½" or 6" projection. Base: 2" Diameter Finish Shown: Pearl	
	Double Return with Standard Base Projection: 3" & 6". Finish Shown: Versailles Assembly pictured on right.	
1" SQUARE RETURNS FOR FRENCH RODS		
	Return Specify 3½" or 6" projection. Brackets are required. Finish Shown: Brushed Nickel	
	Return with Standard Base Specify 3½" or 6" projection. Base: 1" W x 4" L Finish Shown: Brushed Nickel	
*Do not use with heavy treatments.	Return with Horizontal Standard Base* Specify 3½" or 6" projection. Base: 4" W x 1" L Finish Shown: Brushed Nickel	
	Return with Deco Base Specify 3½" or 6" projection. Base: 1½" W x 3½" L Finish Shown: Natural Iron	
	Return with Square Base Specify 3½" or 6" projection. Base: 1½" W x 3" L Finish Shown: Black	
	Double Return with Standard Base 1" Round & Square: Projection: 3" & 6". Finish Shown: Brushed Nickel Assembly pictured on right.	
1-5/8" RETURNS FOR FRENCH RODS		
	Return Specify 3½" or *6½" projection. *Heavy Duty Brackets are required for 6½" projection. Finish Shown: Brite Silver	
	Return with Base Specify 3½" or *6½" projection. Base: 1¾" W x 4½" L *Heavy Duty Brackets are required for 6½" projection. Finish Shown: Gilded Silver	



#### RINGS

Iron Rings are sold individually. All sizes are referenced by inside diameter (ID). Eyelet rings are recommended for most applications. Eyelets measure approximately 3/8" (I.D). All rings can be furnished without eyelets upon request (surcharge applies).

#### 1" ring with eyelet

Most popular choice for ½" & ¾" rods. Will not fit 3/4" twist rods. 1" ID, 1-3/8" OD Measures 1-3/16" from top of rod to top of eyelet.



# 1 1/2" ring with eyelet

Most popular choice for 1" rods. Fits all 1" and smaller rods. 1½" ID, 2" OD.

Measures 1¾" from top of rod to top of eyelet.



#### 2" ring with eyelet

Most popular choice for ONAVERSE™ and all 1-5/8" rods. Fits 1-5/8" and smaller rods. 2" ID, 21/2" OD Measures 21/4" from top of rod to top



#### 2½" ring with eyelet

Recommended for frequently operated panels when used with Iron Batons. 2½" ID, 3" OD Measures 2¾" from top of rod to top



#### 21/2" C ring with eyelet

Available for special applications. Recommended for large curved rods or excessive spans. For use with 1-5/8" rods & Bypass brackets only. 2½" ID, 3" OD



Assembly shown



#### 3" ring with eyelet

Provides a dramatic appearance. 3" ID, 3-5/8" OD. Measures 3-5/16" from top of rod to top of eyelet.



#### **Clip Rings**

Recommended for stationary panels only. Do not use with heavy panels. Not for use with batons.



#### 1" ring with clip

1" ID, 1-3/8" OD. Measures 2" from top of rod to top of clip opening.

### 2" ring with clip

2" ID, 2½" OD Measures 3" from top of rod to top of clip opening.

#### "S" ring

Use to hook on grommeted panels. Fits all 1" and smaller rods. 1½" ID, 2" OD Measures 3" from top of rod to inside



#### 1" Square ring with eyelet

Will not fit 3/4" twist rods. 1" ID, 1-3/8" OD Measures 1-3/16" from top of rod to top of eyelet.



#### 1"Diamond ring with evelet

Will not fit 34" twist rods. 1" ID, 1-3/8" OD



#### 1 ½" Square ring with evelet

Fits all 1" and smaller rods. 1½" ID, 2" OD Measures 1¾" from top of rod to top



#### 1 ½" Diamond ring with evelet

Fits all 1" and smaller rods. 1" ID, 1-3/8" OD



#### 2¾" Diamond ring with eyelet

Get creative with this oversize ring! Recommended for stationary panels



#### Grommet #15

Grommet size # 15 is 2" inside diameter. For GROMMAVERSE™ & 1-5/8" rods. Specify finish.



#### Grommet # 12

Grommet size # 12 is 1-9/16" inside diameter. For use with rods up to 1" diameter. Specify finish.

#### \*Grom-A-Link™ # 15 assembly

Required for *GROMMAVERSE™* rods. Sold per link, includes # 10 bead chain and connectors.

(Finish: Matte Nickel - not visible.)



#### \*Grom-A-Link™ # 12 assembly

Recommended for operational panels. Sold per link, includes # 6 bead chain and connectors.

(Finish: Matte Nickel - not visible.)

\*Grom-A-Link is a trademark of the Rowley Company



#### **Multi-Use Teflon Lubricant**

Recommended for functioning panels. Apply along the top of rods for easy operation of rods and rings. Long lasting. Reapplication not necessary in most cases (2 ounce).





# **SPLICES, BAY RODS & CURVED RODS**

#### **Splice**

We can ship rods up to 118" in one piece with standard shipping service. For rods longer than 118" we recommend splicing. If you require a one piece rod longer than 118" please call for a freight quote.

#### Easy to order,

1. Specify overall rod length and indicate location of splice if other than center. A bracket must be used at each splice point for support.



#### Miter Cut with Adjustable Joint

The best solution for 1" or 1-5/8" bay and corner rods. Adjustable joint is available with 1" and 1-5/8" rods only. Rod ends will be miter cut to the angle you specify. Adjustable joint is hinged to allow adjustment to match mitered angles and slides inside the rod. Set screws on backside of rod tighten to join rod together.

#### Easy to order,

1. Specify wall angles and backwall measurements (not including finials). We will make the necessary deductions. Adjustable brackets are recommended. Four brackets are usually sufficient for most three-sided bay windows.





#### Miter Cut & Weld

Recommended for 1/2" or 3/4" rods.

Specify wall angles and backwall measurements (not including finials).

Adjustable brackets recommended. Freight shipment may be required.



#### **Miter Cut Only**

Recommended when butting ½" or ¾" rods together. Please specify wall angles and backwall measurements (not including finials).
Adjustable brackets recommended.



#### **Curved Corner Joint\***

For 1" & 1-5/8" rods only. Measures 5" x 5". Splice rods into curved corner joint to create a soft  $90^{\circ}$  curve. Non load bearing\*.






#### **Continuously Curved Rods**

We offer custom curving for bay, bow and arched windows for all of our rods. Rings or tabs can be welded to rods if necessary. Templates are required for bow and arched rods. Please indicate on template where rod ends (not including finials). Adjustable brackets are recommended. Freight shipment may be required.







Continuously curved *ONAVERSE™* 1-5/8" iron traverse rod





# **BATONS, WINDOW CRANES & SCROLL RODS**

#### **Iron Batons**

Designed to facilitate opening and closing drapery panels. Made of ½" round iron. Specify length (36", 48" and 60" are most common). Hammered end is standard. A finial may be added for an additional charge. Please specify finial style. Designed to clip on to the body of the lead ring of the drapery panel (not the eyelet).

#### **Standard Baton**

Finish: Brushed Nickel



#### **Baton with Finial**

Finial: Plumbum / Finish: Henna



#### **Acrylic Batons - Clear**

Lengths available: 24",30", 36", 48", 60", 72"



#### Fiberglass Batons - Off white

Lengths available: 33", 48", 60"



#### **Window Cranes**

Available in ½" round up to 36". Will support up to 8 lbs. Also available in ¾" round up to 36". Will support up to 12 lbs. Specify rod length between finial and hinge. Specify finial style. Base is 2" round. Projection to rod center is 1½" (custom projection available for an additional charge).

#### **Window Crane**

Finial: Baby Pineapple / Finish: Versailles

#### Window Crane with Shangri-La Scroll

(Scroll measures 8½"W x 4½"L) Finial: Ball / Finish: Brushed Nickel





#### **Window Crane Support**

Provides additional support and maintains a level appearance for window cranes. Base is 2" round. Length is 2¾", (custom length available for an additional charge).

#### **Window Crane Support**

Finish: Versailles



#### Assembly shown

Finial: Baby Pineapple / Finish: Versailles



#### **Scroll Rod with Pegs**

Specify length tip to tip (up to 60" maximum).

Specify peg spacing (5" is typical).

2 concealed round swivel brackets are included and serve as the first attachment points for treatments.

Custom curving available per quote (template required).



#### Scroll Rod Shown with tie top panel



#### ONAVERSE™ IRON TRAVERSE ROD

Our patented *ONAVERSE™* 1-5/8" diameter iron cord traverse rods move heavy panels with ease. Our exclusive design features an internal mechanism that is not visible from below. Friction reducing glides along the top of the rod ensure smooth and quiet operation. *ONAVERSE™* rods utilize our 2" I.D. rings with eyelets as standard. 2½" C-rings are available for special applications. Pair with any of our standard 1-5/8" components (finials, brackets etc...). Continuous curving is available for bay and bowed window applications. *ONAVERSE™* rods are heavy duty, and feature all steel ball bearing pulleys for maximum durability and superior function. Optional motorization kit is available.

Finial: Ball / Finish: Versailles





(Bottom View)





United States Patent #8,544,148

#### Easy to order,

- 1. Specify overall rod length (not including finials). Brackets should be installed a minimum of 3" in from the rod ends. Please allow extra rod length to accommodate this. Specify finish.
- 2. Indicate if rod will be two way draw, one way stack left, or one way stack right.
- 3. Specify the cord location either right or left, and the length of cord drop you require. Note: Baton draw is available on request.
- 4. Order brackets, finials and rings as required. Master carriers include two rings per carrier.

Note: Maximum span between brackets is 120". Maximum rod length (one piece) is 240". Maximum recommended panel weight is 6 pounds per foot. We do not recommend splicing. A steel tension pulley is standard. Motorization is optional. <u>Heavy duty brackets</u> are recommended for panel lengths over 108", spans over 96", projections over 3-1/2", and for double rod sets. **Professional installation into studs or wood backing is recommended.** 





#### **Bypass brackets and C-Rings**

Available for special applications. Rings are 2½" diameter. Recommended for large curved rods or excessive spans.



#### **Lock Ring**

For use with inside mount socket brackets only. Slides into rod end. Order one per cord side.



#### **BTX®** Motorization Kit

Add the convenience of motorization to *ONAVERSE™* traversing rods. Motorization kit includes everything you need. Simply plugs into nearest wall outlet. Low voltage (12 volt) motor drives the cord to traverse draperies. Hand held remote control with radio frequency ensures positive operation.







#### GROMMAVERSE™ IRON TRAVERSE ROD

Easily move grommeted panels with our new *GROMMAVERSE™* 1-5/8" diameter iron cord traverse rod. Featuring our patented *ONAVERSE™* cord traverse system. The internal mechanism is not visible from below. Friction reducing glides along the top of the rod ensure smooth and quiet operation. *GROMMAVERSE™* 1-5/8" diameter iron rods are designed to utilize #15 grommets in conjunction with the GROM-A-LINK™\*pleat control system. Block brackets are recommended. Select any of our standard 1-5/8" finials. Continuous curving is available for bay and bowed window applications. *GROMMAVERSE™* rods are heavy duty, and feature all steel ball bearing pulleys for maximum durability and superior function. Optional motorization kit is available.

Finial: Cyrus / Finish: Polished Chrome







United States Patent #8,544,148

#### Easy to order,

- 1. Specify overall rod length (not including finials). Brackets should be installed a minimum of 3" in from the rod ends. Please allow extra rod length to accommodate this. Specify finish.
- 2. Indicate if rod will be two way draw, one way stack left, or one way stack right.
- 3. Specify the cord location either right or left, and the length of cord drop you require. Note: Baton draw is available on request.
- 4. Order Block Brackets, and finials as required.
- 5. 2 X panel fullness is recommended. An even number of grommets are required (usually 8 grommets per width).

Note: Maximum span between brackets is 120". Maximum rod length (one piece) is 240". Maximum recommended panel weight is 6 pounds per foot. We do not recommend splicing. A steel tension pulley is standard. Motorization is optional. <u>Block Brackets</u> are recommended. **Professional installation into studs or wood backing is recommended.** 







#### **Block Brackets**

Recommended for  $GROMMAVERSE^{TM}$  rods. Specify finish.

#### **Block Bracket**



**Block Center Bracket** 



#### Grommet # 15

Grommet size # 15 is 2" inside diameter. For *GROMMAVERSE™* rods. Specify finish.



#### Grom-A-Link™ # 15\*

Required for for *GROMMAVERSE™* rods. Sold per link, includes # 10 bead chain and connectors.

(Finish: Matte Nickel – not visible.)



#### **BTX®** Motorization Kit

Add the convenience of motorization to *ONAVERSE™* traversing rods. Motorization kit includes everything you need. Simply plugs into nearest wall outlet. Low voltage (12 volt) motor drives the cord to traverse draperies. Hand held remote control with radio frequency ensures positive operation.







## **ONA ACRYLIC RODS 1-5/8" DIAMETER**

Specify our crystal clear Acrylic rods for a sophisticated and modern look. Select a complementary Acrylic components or Mix and match from any of our 1-5/8" finials, brackets and rings to suit the décor. Our 1-5/8" Acrylic rods are rigid enough to span 5' - 6' between brackets in most cases. Maximum lengths available are 96". For longer lengths, we offer a special Acrylic cement to create a welded splice on site. Acrylic rods and components are recommended for light to medium weight treatments.

Acrylic Barcelona shown





#### Easy to order,

- 1. Specify: Rod length, Finials, Brackets and Rings. Mix and match any of our 1-5/8" finials, brackets, rings and findings.
- 2. Specify finish for all findings if other than Acrylic.
- 3. If rods will be spliced, let us know the overall rod length, and the splice locations. Order Acrylic cement for spliced rods.

#### Ona Acrylic Rod, 1-5/8" diameter (actual size)



## **ONA ACRYLIC FINIALS**







#### **ONARAIL™**

ONARAIL™ is perfect for Loft / Industrial and ranch décor. Add our BARN WHEEL SET to create a popular Barn Door look over any window. ONARAIL™ can be used as standalone rods or as under rods for sheers behind an ONA Iron rod. Available in cord traverse or baton draw operation. Sturdy aluminum / steel construction supports 5 lbs / foot. Brackets recommended every 4' - 5'. Sold as an assembled set. Available in all finishes! (except plated).

#### ONARAIL™

Shown with optional Barn Wheel Set / Finish: Black









#### Easy to order,

- Sold as an assembled set. Includes master carriers, pulleys, ball bearing sliders (1 every 3½"), end stops, return extender, end caps and a metal tension pulley. Brackets, splices and Barn Wheel sets sold separately. Curved rods are available. Please call for a quotation.
- Specify if baton or cord draw. Specify: Rod length, one way or two way draw, cord side, cord drop and finish. If baton draw, order batons separately. For best function we recommend against splicing. However, If rods are to be spliced, let us know the overall rod length, and the splice locations.

**ONARAIL™** - Assembled set shown



#### **Barn Wheel Set**

Includes (1) fixed and (1) moving wheel. Order one set for one way draw rods. Order two sets for two way draw rods.







Profile: 1¼" W x 1" L



**END CAP** 1¼" x 1¼"



Projection: 3"



**DOUBLE BRACKET** 

Projection: 3" & 6" Base: 1-1/8" W x 3" L



**CEILING BRACKET** 

Base: 1-5/8" W x 13/4" L



**SPLICE** Base: 31/2" W x 1-3/8" L

Slider Ball bearing / Pinset: 1/2"

**END STOP** 



RETURN EXTENDER

Specify left or right, if cord draw, use only one opposite cord side.



**TENSION PULLEY** 



**Acrylic Batons - Clear** 

Lengths available: 24",30", 36", 48", 60", 72"



Lengths available: 33", 48", 60"



#### **FINIALS**

Ona Drapery Hardware manufactures a wide variety of Finials for all sizes and profiles of rods we manufacture. Our finials are showcased in the following pages and cataloged by the rod size they fit. Finials for our solid rod (½" & ¾" diameter) feature a cuff that slides over the rod end and held in place by a set screw on the back of the cuff. Finials for hollow rods (1" & 1-5/8" diameters) are designed to slide into the rod end and are held in place by a set screw on the back of the rod. We also offer modification and customization of any of our finials. We can fabricate any of our finials to fit Wood Poles, or other hardware. We can modify C.O.M. finials to fit your rods. We can also create or customize a finial to your specifications.

Iron Finials











#### Easy to order,

- 1. Finials are sold individually. Specify the quantity and finial style from the appropriate section. We will automatically fabricate the finials to fit the rod size and profile ordered in the finish you specify.
- 2. Order by name. Price by letter group  $\mathbf{A} \mathbf{Z}$

#### **Custom Options**

#### **Pinned Finial\***

\*For solid ½" & ¾" rods only.

If you would like to eliminate the external finial collar, specify "Pinned Finials". The Rod end will be bored and cross drilled for set screw. Finial will have an attached pin to slip into rod end. Provides a seamless look.

Pinned Finial option priced in addition to finial. Specify finial style.



Pinned Finial: Baby Pineapple / 1/2" Round Rod / Finish: Versailles



#### **Wood Pole Finial Adapter**


Adapt any of our finials to fit a wood pole. Available for: 1-3/8", 2", 2\" & 3" diameter wood poles. Specify finial. Finial will be welded to the adapter. Price finial plus wood pole adapter.

**Wood Pole Adapter:** Shown for 1-3/8" diameter. Finial: Andromeda / Finish: Hammered Steel



# **IRON FINIALS FOR 1/2" RODS**

Order by name. Price by letter group A - Z





# Order by name. Price by letter group A - Z Curlicue (3¾" x 2½") Crows Foot (3" x 3¾") Crescent (3½" x 4") Finish: Antique Finish: Bronze Finish: Gold Blush Diamond (5¼" x 2") End Cap (¾" x ¾") A End Cap Square (¾" x 1") Finish: Burnished Bronze Finish: Brushed Nickel Finish: Natural Iron New! Etruscan (5¾" x 3½") Faceted Ball (1-9/16" x 1-9/16") Fancy Scroll (2¾" x 6") Finish: Havannah Finish: Black Finish: Black Flair (3" x 6") Fiero (5" x 2½") A Fleur-de-lis (4½" x 2½") Finish: Mineral Finish: Sepia Finish: Natural Iron Forked (4" x 21/4") B French (4-3/8" x 2½") A French Twist (4¾" x 2½") B Finish: Mineral Finish: Champagne Finish: Ash Hammered Leaf (3½" x 2") Heart (5" x 4") Imperial (11/4" x 1-7/8") C Finish: Gold Blush Finish: Pewter Finish: Pearl


**IRON FINIALS FOR 1/2" RODS** 

# **IRON FINIALS FOR 1/2" RODS**

Order by name. Price by letter group A - Z









# **IRON FINIALS FOR 3/4" & 1" RODS** Order by name. Price by letter group A - Z **Abigail** (5" x 7") **▮** Acer (3¼" x 1½") C Acorn (4" x 2½") Finish: Moss Finish: Henna Finish: *Leather* New Adela (5" x 4¾") Ananas (3½" x 2¼") G Andromeda (5¼" x 5¼") Finish: White Finish: Hammered Steel Finish: Gilt Arrow Head (5" x 2") Aurora (6" x 2¾") Bacca (8¼" x 5") K Finish: French Blue Finish: Hammered Silver Finish: Leather Ball (2" x 2") **G** Bangkok (7" x 3¾") Barcelona (2½" x 2½") **G** Finish: Black Finish: Beijing Finish: Burnished Bronze Beaumont (¾" x 1½") Bella (2" x 1¼") Basket (5½" x 2¼") Finish: Black Finish: Henna Finish: French Blue New! New! Bird Cage (3" x 3") Bishop (2½" x 1½") **D Branch** (6" x 7") Finish: Nutmeg Finish: Bronze Finish: Hammered Steel



# **IRON FINIALS FOR 3/4" & 1" RODS** Order by name. Price by letter group A - Z Crook (6" x 3") C Crows Foot (3" x 3¾") Cube (2" x 2") Finish: *Brass* Finish: Champagne Finish: Brushed Nickel Cylinder (2" x 1½") **G** Decius (2½" x 1¾") Diamond (51/4" x 2") Finish: Hammered Silver Finish: Pearl Finish: Havannah Donatus (4" x 2") Eclipse (1½" x 2") Empress (1¾" x 2") Finish: Nutmeg Finish: Black Finish: Burgundy End Cap for 3/4"rods (1" length) End Cap for 1" rods (1/8" x 1-3/8") End Cap Square (1/8" x 1½") Fits over rod. Finish: Pewter Fits into rod. Finish: Burnished Bronze Fits into rod. Finish: Pewter New! Etruscan (5¾" x 3½") Faceted Ball (2" x 2") Fancy Scroll (2¾" x 6") Finish: Brushed Nickel Finish: Heirloom Finish: Black Fern (3¼" x 1¾") D Filigree (4-3/8" x 4-5/8") Flair (3" x 6") Finish: Moss Finish: Sepia Finish: Aged Iron




# **IRON FINIALS FOR 3/4" & 1" RODS** Order by name. Price by letter group A - Z Lucia (4½" x 1¾") D Moscow (8" x 2¾") Multi Basket (5¼" x 3½") **G** Finish: Versailles Finish: French Blue Finish: Sable Neo (2" x 2") J Nouveau (5" x 5") G Onion Dome (2¼" x 2") K Finish: Gilded Silver Finish: Antique Brass Finish: Bronze New! **Orbit** (6" x 6") Pedestal (11/4" x 2") G Pineapple (5½" x 2½") **G** Finish: Burnished Bronze Finish: Black Finish: Burnished Bronze Pisces (4¼" x 1¾") **D** Planta (10¼" x 8¾") J Plumbum (5¼" x 1¼") **D** Finish: Pearl Finish: Henna Finish: Beijing Pyramid (3¼" x 1¼") Plume (7½" x 3") C **Poseidon** (5" x 5") Finish: Black Finish: Natural Iron Finish: Heirloom Queen of Hearts (6½" x 2¾") **G** Rhone (1" x 1½") Ronzio (6½" x 4") **K** Finish: Pearl Finish: Hammered Steel Finish: Pewter




# **IRON FINIALS FOR 3/4" & 1" RODS** Order by name. Price by letter group A - Z Taj Mahal (3½" x 2") Titus (4" x 2") G Terrace (2½" x 2¼") **G** Finish: Sable Finish: Aged Iron Finish: Champagne Trepid (2" x 1½") Triumph (6" x 3½") Trommel (2¾" x 1½") Finish: Natural Iron Finish: Sepia Finish: Brite Silver New! New! Trompette (3¼" x 2¼") **J** Tuscania (5" x 21/4") C Urn (4" x 1½") Finish: Gilded Silver Finish: White Finish: Brushed Nickel New! Valiant (5½" x 2½") Vaso (3" x 2") G Vega (2¼" x 2") Finish: Antique Finish: Leather Finish: Pearl Verona (6½" x 4") Victoria (5¼" x 4") Vienna (6¼" x 2") Finish: Espresso Finish: Antique Brass Finish: Henna Vine (5" x 6½") Willow (3" x 11/4") C Zolle (4½" x 2¾") Finish: Gold Dust Finish: Moss Finish: Mineral

# **IRON FINIALS FOR 1-5/8" RODS** Order by name. Price by letter group A - Z **Abigail** (5" x 7") **1 1** Acanthus Leaf (8" x 3½") Andromeda (5¼" x 5¼") Finish: Pewter Finish: Gold Blush Finish: Brushed Nickel Anthea (6½" x 7") Barcelona (2¾" x 3") **J** Ball (3" x 3") J Finish: Beijing Finish: Antique Finish: Burnished Bronze Basket (8½" x 3¾") Bellota (4½" x 3¼") K Bellus (6¼" x 4¼") 💢 Finish: Burnished Bronze Finish: Heirloom Finish: Ash **Bird Cage** (5" x 5") **J** Birds (8¼" x 5¼") K Braided Fleur (5½" x 4") Finish: Black Finish: Antique Finish: Sable New! Button (1¼" x 2") **Branch** (6" x 7") Britannia (5¼" x 6½") J Finish: Natural Iron Finish: Gold Finish: Brushed Nickel New! Calla Lily (9" x 6") J **Canterbury** (6½" x 3") Chandra (5½" x 4¼") Finish: Heirloom Finish: Pewter Finish: Pearl

# **IRON FINIALS FOR 1-5/8" RODS** Order by name. Price by letter group A - Z Circlet (½" x 3") Charlemagne (7¾" x 4½") **G** Charo (4" x 2¾") Finish: Gold Blush Finish: Pewter Finish: Black New! Crown (6½" x 4") J Cleopatra (3½" x 2½") K Corona (1¼" x 3") **J** Finish: Black Finish: Mineral Finish: Sepia Crows Foot (3" x 3¾") Cupro (3" x 3") K Cuspis (2½" x 2") Finish: Black Finish: Brushed Nickel Finish: Gold Cyrus (4" x 1-5/8") K Decius (3¾" x 2¾") J **Dragon Leaf** (9" x 5¼") Finish: Brushed Nickel Finish: Antique Finish: Beijing Eclipse (W" x L") Euro (5½" x 3½") J End Cap (1/8" length) Finish: Brite Silver Finish: Black Finish: Sepia Alternate orientation shown. New! New! Fancy Fleur (9½" x 5½") K Fancy Scroll (2¾" x 6") Fire Leaf (6" x 5½") Finish: Chalet Finish: Antique Brass Finish: Henna




# **IRON FINIALS FOR 1-5/8" RODS** Order by name. Price by letter group A - Z Neo (3" x 3") K Multi Basket (8" x 5½") Nouveau (6" x 6") Finish: Natural Iron Finish: Gilded Silver Finish: Gilded Silver Opus (6½" x 6½") J Onion Dome (2¼" x 1¾") K **Orbit** (6" x 6") Finish: French Blue Finish: Natural Iron Finish: Gold Dust New! Parisian (5½" x 2¾") Pedestal (1¼" x 3") Pierced (9½" x 2½") **J** Finish: Sepia Finish: Black Finish: Henna Pineapple (5½" x 2½") **G** Planta (10¼" x 8¾") J Pila (2¼" x 2½") K Finish: Henna Finish: Mineral Finish: Sable Scroll (41/4" x 51/2") Queen of Hearts (6½" x 2¾") G Regal (7¾" x 4½") K Finish: Heirloom Finish: Heirloom Finish: White Siempre (6" x 7½") K **Sherwood** (3-3/8" x 2") Simple Basket (9½" x 3¾") **J** Finish: Ash Finish: Gilt Finish: Havannah



#### **CRYSTAL FINIALS**

Crystal Finials are made with genuine SWAROVSKI ELEMENTS – Simply stunning.

Order by name. Price by letter group A – Z





Crystal Chaton (1¼" x 2") M

Available for ¾" & 1" rods.

Rod Finish: Heirloom



Crystal Radiance (2" x 2-3/8") 
Available for ¾" & 1" rods.

Rod Finish: Natural Iron



Crystal Half Ball (1" x 2") M Available for ¾" & 1" rods. Rod Finish: Brushed Nickel



Large Crystal Ball (3" x 2¾") U

Available for 1-5/8" rods.

Rod Finish: Natural Iron



Crystal Strato-Sphere (1-5/8" x 2-3/8") N

Available for ¾" & 1" rods.

Rod Finish: Gilded Silver



Crystal Radiance (2" x 2-3/8") 

Available for 1-5/8" rods.

Rod Finish: Sepia



Crystal Strato-Sphere (1-5/8" x 2-3/8") N

Available for 1-5/8" rods.

Rod Finish: Sepia



SWAROVSKI® is a registered trademark.



#### **CRYSTAL HOLDBACKS**

Crystal Holdbacks are made with genuine SWAROVSKI ELEMENTS and are available in all small finial styles. Specify finial style, type of mount and finish. Crystal finial and mount priced separately.

#### Order by name. Price by letter group A - Z+ Mount

#### Small Crystal Ball (2" x 2") M+Mount

Specify Post or Wrap Around Mount (Shown with post mount)
Post Finish: Brushed Nickel





Side View

Post mount adjusts 3" – 5". Custom projection available.

#### Crystal Half Ball (1" x 2") M+Mount

Specify Post or Wrap Around Mount (Shown with post mount)

Post Finish: Heirloom





Side View
Post mount adjusts 3" – 5". Custom projection available.

#### Crystal Chaton (1¼" x 2") M+Mount

Specify Post or Wrap Around Mount (Shown with post mount) Post Finish: Gilded Silver





Side View Post mount adjusts 3'' - 5''. Custom projection available.

#### Crystal Strato-Sphere (1-5/8" x 2-3/8") N+Mount

Specify Post or Wrap Around Mount (Shown with post mount) Post Finish: Versailles





Side View
Post mount adjusts 3" – 5". Custom projection available.

#### **Crystal with Wrap Around Mount**

Specify crystal style.

Order by name & price by group.

Pricing is listed by price group A - Z+ Mount

Small Crystal Ball, Chaton, Half Ball M+Mount

Crystal Strato-Sphere N+Mount

Wrap around mount dimensions: 5" x 5" not including Crystal. Custom dimensions available.





#### **CRYSTAL DROP FINIALS**

Crystal Drop finials are made with genuine SWAROVSKI ELEMENTS – Simply stunning. Specify Crystal Drop color.

Order by name. Price by letter group A – Z

Charle (6¼" x 6¼") 
Available for 1" & 1-5/8" rods.
Crystal Drop color: Silver Shade
Rod Finish: Burnished Bronze



Coba (7¾" x 7¼") N

Available for 1" & 1-5/8" rods.

Crystal Drop color: Silver Shade

Rod Finish: Gilded Silver



Crystal Dragon Leaf (9" x 7") Available for 1" & 1-5/8" rods.
Crystal Drop color: Clear
Rod Finish: Hammered Silver



Gemma (4½" x 6¾") N Available for 1" & 1-5/8" rods. Crystal Drop color: Clear Rod Finish: Black



Fountain (6¾" x 6¾") M

Available for 1" & 1-5/8" rods.

Crystal Drop color: Clear

Pod Finish: Hammarad Silver



Isis (6" x 7¾") N

Available for 1" & 1-5/8" rods.

Crystal Drop color: Golden Shadow

Rod Finish: Versailles



Harp (8" x 4") M

Available for 1" & 1-5/8" rods.

Crystal Drop color: Black / Rod Finish: Gloss Black



Shangri-La (8½" x 6") M

Available for 1" & 1-5/8" rods.

Crystal Drop color: Copper / Rod Finish: Sepia



#### Crystal Drop Finials featured above are made with SWAROVSKI ELEMENTS.

Create your own unique design and add a touch of brilliance to any of our finials or accessories with Crystal Drops. Submit a detailed sketch of your design for a quotation. Crystal drops measure 7/8" W x 1¼" L.











SWAROVSKI® is a registered trademark.



#### ONALUX™ FINIALS

Add an exciting touch of color with our new **ONALUX™** finials and holdbacks. Made of a proprietary resin, **ONALUX™** is available in two styles. Select from a broad range of brilliant colors and earth tones. Made in the U.S.A.



ONALUX™ finials are available in the two styles below. Small size fits ¾" – 1" rods, Large size fits 1-5/8" rods. Please see color choices for availability.

Order by name. Price by letter group A - Z

#### **ONALUX™** Ball Finial

Available for 1" and 1-5/8" rods only Rod finish: Natural Iron / Color: Septarian



Small Ball for For ¾" & 1"rods. (2-1/8" diameter) Large Ball for 1-5/8" rod (3" diameter) Available in all colors listed below.

**ONALUX™** Bell Finial Available for 1" and 1-5/8" rods only Rod Finish: Natural Iron / Color: Amber Opal



Small Bell for For ¾" & 1"rods. (1-5/8" x 2-3/8") **H** Large Bell for 1-5/8" rod (2¼" x 3½") J Available in all colors listed below.

#### ONALUX™ HOLDBACKS

ONALUX™ Holdbacks are available with either Small Ball or Small Bell style finials. Specify finial style and color, type of mount and finish. ONALUX™ finial and mount priced separately.

Order by name. Price by letter group A - Z+ Mount

### Wrap Around Mount H+Mount

Small Ball: Clear / Brushed Nickel



Wrap around mount dimensions: 5" x 5" not including Finial. Custom dimensions available.

### Post Mount H+Mount

Small Bell: Ivory / Brushed Nickel



Side View Post mount adjusts 3'' - 5''. Custom projection available.



# ONALUX™ COLORS Red **Purple Quartz** Quartz **Red Onyx Red Sapphire** Septarian **Smokey Topaz** Sauterne Tangerine Tiger Iron Turquoise Tomato New! New! **Turquoise Sapphire** Violet **Violet Strikes** MADE IN THE USA



#### **ONA ArtGlass FINIALS**


Add spectacular elegance with our new *ONA ArtGlass* finials and holdbacks. Each one is an individual piece of art. Hand blown and crafted in the U.S.A. Each piece will have its own unique characteristics. Available in the colors shown below.



New



ONA ArtGlass finials are available in the five styles below. Small size fits  $\frac{3}{4}$ " – 1" rods, Large size fits 1-5/8" rods. Please see color choices for availability.





### **ONA ArtGlass FINIALS**

Order by name. Price by letter group A - Z

#### IRIDESCENT WHEAT



Small Ball 2¼" S
Large Ball 3" T
Small Cylinder 1½" x 2" U
Large Cylinder 2" x 3" V
Small Egg 1½" x 2" V
Large Egg 2" x 3" X

#### GREEN SWIRL



Small Ball 2¼" o
Large Ball 3" S
Small Cylinder 1½" x 2" o
Large Cylinder 2" x 3" S
Small Egg 1½" x 2" R
Large Eqq 2" x 3" S

#### CARBONATED CLEAR



Small Ball 2¼" R Large Ball 3" S

#### IRIDESCENT WAVE



Small Ball 2¼" S
Large Ball 3" S
Small Cylinder 1½" x 2" U
Large Cylinder 2" x 3" V
Small Egg 1½" x 2" V
Large Eqq 2" x 3" X

#### YELLOW SWIRL



Small Ball 2¼" o
Large Ball 3" S
Small Cylinder 1½" x 2" o
Large Cylinder 2" x 3" S
Small Egg 1½" x 2" R
Large Egg 2" x 3" S

#### СНЕЕТАН



Small Ball 2¼" X Large Ball 3" Z

#### BLACK SWIRL



Small Ball 2¼" o
Large Ball 3" S
Small Cylinder 1½" x 2" o
Large Cylinder 2" x 3" S
Small Egg 1½" x 2" R
Large Egg 2" x 3" S

#### VIOLET SWIRL



Small Ball 2¼" o
Large Ball 3" S
Small Cylinder 1½" x 2" o
Large Cylinder 2" x 3" S
Small Egg 1½" x 2" R
Large Eqq 2" x 3" S

#### TIGER



Small Ball 2¼" X Large Ball 3" Z

#### **BLUE SWIRL**



Small Ball 2¼" o
Large Ball 3" S
Small Cylinder 1½" x 2" o
Large Cylinder 2" x 3" S
Small Egg 1½" x 2" R
Large Egg 2" x 3" S

#### RΔ



Small Ball 2¼" R Large Ball 3" S

#### GIRAFFE



Small Ball 2¼" X Large Ball 3" z

#### PEACOCK



Small Ball 2¼" X Large Ball 3" Z

#### MILLEFIORI ORANGE



Small Ball 2¼" S Large Ball 3" **T** 

#### MILLEFIORI BLUE



Small Ball 2¼" S Large Ball 3" T





#### **ONA ArtGlass HOLDBACKS**

ONA ArtGlass Holdbacks are available in all small finial styles. Specify finial style and color, type of mount and finish. ONA ArtGlass finial and mount priced separately.

Order by name. Price by letter group A - Z+ Mount





Side View Post mount adjusts 3"-5". Custom projection available.

#### **BRACKETS**

All brackets are sold individually. Brackets will be made to coordinate with the rod size and style ordered. Most brackets are drop in style and feature a set screw that securely locks the rod in place after installation. Projection is measured from the wall to the center of the rod. Touch up paint is included to match screw heads if alternate mounting hardware is required. Professional installation into study or wood backing is recommended. Brackets are available in the styles below.

#### **Standard Style Brackets**



Standard brackets are our most popular style. Strong and simple.

#### **Deco Style Brackets**



Deco brackets feature a decorative base and provide a solid installation.

#### **Square Style Brackets**



Square brackets provide a clean look and a solid installation.

#### **Round Style Brackets**



Round brackets provide a contemporary look.

#### **Block Style Brackets**



Contemporary brackets that provide a solid installation. Also recommended for use with *GROMMAVERSE*™ rods.

#### **Heavy Duty Style Brackets**



Available for 1-5/8" rods only.

Heavy Duty brackets for 1-5/8" rods only. Recommended for <u>heavy panels</u>, and Onaverse™ rods.

#### **Café Style Brackets**



Delicate small brackets for small café curtains and door panels.

#### **Wood Pole Brackets**



For 1-3/8", 2", 2¼" & 3" diameter wood poles.

### **Bracket Accents & Accessories**

#### Rolled Ends



Rolled ends can be added to any of our brackets for an additional charge.

Both ends are rolled on standard brackets. Only the bowl will be rolled on Center, Deco and Round style brackets. Price per end plus bracket.

#### **Hammered Ends**



Hammered ends can be added to any of our brackets for an additional charge.

Both ends are Hammered on standard brackets. Only the bowl will be hammered on Center, Deco and Round style brackets. Price per end plus bracket.

#### **Welded Rosette**



Marguerite shown
Rosette can be welded to the face of bracket for an additional charge.

Specify Rosette style.

#### Leafed



Leafed accent can be welded to the face of any bracket except Café bracket for an additional charge.

#### **Screw on Rosette**



Maiden shown

A decorative screw on rosette can be ordered to replace set screw on face of Café & Tapestry style brackets. Price rosette in addition to bracket. Specify rosette style.

#### **Professional Set Screw Driver**



A must have if you plan to install multiple rods. Ratcheting action saves installation time. Includes 3 bits. Additional bits available.



# STANDARD

#### STYLE BRACKETS

Standard Brackets have clean lines, unobtrusive styling. They are our most popular style. We have endless custom capabilities; call us if you need a bracket you don't see in our catalog.

**Order by Name** Price by letter group A - Z





Our most popular style.

Projection: 31/2" Base: 1" x 4"

Standard brackets are our most popular style. Strong and simple. A great choice for most applications.

# Custom **D**



Projection: 6" Base: 1" x 4"

Specify projection if other than 6". Specify Base if other than 4".

### Braced 1



A welded brace is recommended for projections over 6". Specify projection.

Base: 1" x 4"

# Double 3



Projection: 3" & 6" Base: 1" x 4"

### Adjustable D



Projection adjusts from 3" - 41/4"  $(3\frac{1}{2}" - 4\frac{3}{4}" \text{ for } 1-5/8" \text{ rods}).$ 

Base: 1" x 4"

Recommended for use with bay and curved rods.

### Custom Adjustable



Specify projection (2½" min., 3½" for 1-5/8" rods) Range of adjustment is 11/4".

Base: 1" x 4'

# Staggered 🗓



Projection: 3" & 6"

Base: 1" x 4"

For rods up to 1", under rod bracket is 21/2" below the over rod

For 1-5/8" rods, under rod bracket is 3-3/8" below the over rod bracket.

### Center Double G

Use as a center support only.



Projection: 3" & 6" Base: 3½" x 1" (except for 1-5/8") For 1-5/8" rod -Base: 31/2" x 11/2" When using heavy panels or spanning very wide openings, we suggest using a Double bracket instead of a center bracket.

# Center D

Use as a center support only.



Projection: 31/2"

Base: 3½" x 1" (except for 1-5/8") For 1-5/8" rod -Base: 31/2" x 11/2" When using heavy panels or spanning very wide openings, we suggest using a Standard bracket instead of a center bracket.

### Center Custom 3

Use as a center support only.



Projection: 6" Base: 3½" x 1" (except for 1-5/8") For 1-5/8" rod -Base: 3½" x 1½" Specify projection if other than 6". When using heavy panels or spanning very wide openings, we suggest using a Custom bracket instead of a center bracket.

### Center Adjustable

Use as a center support only.



Projection adjusts from 3" - 41/4"  $(3\frac{1}{2}" - 4\frac{3}{4}" \text{ for } 1-5/8" \text{ rods}).$ Base: 3½" x 1" (except for 1-5/8") For 1-5/8" rod -Base: 31/2" x 11/2" When using heavy panels or spanning very wide openings, we suggest using an Adjustable bracket instead of a center bracket.

### **Center Custom** Adjustable G

Use as a center support only.



Specify projection. (2½" min., 3½" for 1-5/8" rods) Range of adjustment is 11/4". Base: 3½" x 1" (except for 1-5/8") For 1-5/8" rod -Base: 31/2" x 11/2" When using heavy panels or spanning very wide openings, we suggest using a Custom Adjustable bracket instead of a center bracket.



# **STANDARD**

#### STYLE BRACKETS

Continued

Standard Brackets have clean lines, unobtrusive styling. They are our most popular style. We have endless custom capabilities; call us if you need a bracket you don't see in our catalog.

**Order by Name** Price by letter group A – Z

### \*Tapestry 3



1/2" clearance to back of rod. Base: 1" x 4" Optional screw on rosette available to replace set screw. Note: Some finials & rings may require more clearance. Please call if unsure.

\*See page 59 for hooks that may also be used for tapestry applications.

# Swivel G

Base swivels to allow installation in different positions.



Projection adjusts from 3" - 5". Base: 1" x 31/2" Recommended as a center support for ½" & ¾" solid French Rods. Recommended for use with arch top rods.

# Custom Swivel 1

Base swivels to allow installation in different positions.



Specify anticipated projection. (11/2" minimum). Recommended as a center support for ½" & ¾" solid French Rods. Recommended for use with arch top rods.

# Pass Through G

Base swivels to allow installation in different positions.



Projection adjusts from 3" - 5". Base: 1" x 3½'

Not for ceiling installation. Not for use with French rods unless spliced.

### Ceiling 3

Ceiling brackets will be made to the minimum drop measured from the ceiling to the top of the rod. O.A.L. (overall length) is also indicated.



Base: 3½" x 1" ½" rods drop = 1¼", O.A.L.= 2" %" round drop = 1-3/8", O.A.L. = 2-3/8" 3/4" twist, drop = 1-5/8", O.A.L. = 2-7/8" 1" rods, drop = 1-5/8", O.A.L. = 2-7/8" 1-5/8" rods, drop = 2-1/8", O.A.L. = 4"

### Custom Ceiling



Specify drop measured from the ceiling to the top of the rod Base: 3½" x 1"

Note: If specified drop is less than minimum shown on left, rod will not drop into the bracket and must be inserted through the side.

# **Custom Pass** Through 1

Base swivels to allow installation in different positions.



Specify anticipated projection (1½" minimum).

Base: 1" x 31/2"

Not for ceiling installation. Not for use with French rods unless spliced.

### Square Socket 3



Base: 1½" x 3" Specify left or right. When ordering, specify exact inside mount dimensions. We will make

### Low profile Socket 3

Provides a minimal look.



For inside mounting. Specify left or right. When ordering, specify exact inside mount dimensions. We will make deductions.

# Corner **I**



Allows installation directly into a corner. Projection adjusts from 3"-5". Hinged base is 3" x 3". Splices into 1" rods. Fits over ½" – ¾" rods.

Not recommended for use with 1-5/8" rods.

Specify wall angles and back wall measurements. We will make deductions. Not recommended for use with heavy treatments.

### ByPass J



Available for special applications. Recommended for large curved rods or excessive spans. For use with 1-5/8" rods & Bypass brackets only. Must use 2-1/2" "C" rings. Call us to discuss your treatment.



# DECO STYLE BRACKETS

**Deco Brackets** feature a decorative base and provide for a solid installation.

Order by Name
Price by letter group A -P

### Deco 🖸



Projection: 3½"
Base is 1½" x 3½"

### Deco Custom =



Specify projection up to 6". Base is  $1\frac{1}{2}$ " x  $3\frac{1}{2}$ "

# Deco Braced H



A welded brace is recommended for projections over 6". Specify Projection. Base: 1½" x 3½"

### Deco Adjustable



Projection adjusts from 3" - 4%" (3%" - 4%" for 1-5/8" rods). Base:  $1\%" \times 3\%"$  Recommended for use with bay and curved rods.

# Deco Custom Adjustable ©



Specify projection ( $2\frac{1}{2}$ " min.,  $3\frac{1}{2}$ " for 1-5/8" rods) Range of adjustment is  $1\frac{1}{2}$ ". Base is  $1\frac{1}{2}$ " x  $3\frac{1}{2}$ ".

### Deco Center D

Use as a center support only.



Projection: 3½" Base: 3½" x 1½"

When using heavy panels or spanning very wide openings, we suggest using a Deco bracket instead of a Center bracket.

# Deco Custom Center

Use as a center support only.



Projection: 6". Specify if other. Base: 3½" x 1½" When using heavy panels or spanning very wide openings, we suggest using a Deco Custom bracket instead of a Center bracket.

# Deco Center Adjustable

Use as a center support only.



Projection adjusts from 3" - 4" ( $3''_2" - 4"$ ) for 1-5/8" rods). Base:  $3''_2"$  x  $1''_2"$  When using heavy panels or spanning very wide openings, we suggest using a Deco Adjustable bracket instead of a Center bracket.

# Deco Center Custom Adjustable **G**

Use as a center support only.



Specify projection.
(2½" min., 3½" for 1-5/8" rods)
Range of adjustment is 1¼".
When using heavy panels or spanning very wide openings, we suggest using a Deco Custom Adjustable bracket instead of a Center bracket.

# Deco Socket 3



Base is 1½" x 3½".

Specify left or right.

When ordering, specify exact inside mount dimensions. We will make deductions.

### Low profile Socket 3

Provides a minimal look.



For inside mounting. Specify left or right. When ordering, specify exact inside mount dimensions. We will make deductions.

# \*Deco Tapestry 3



½" clearance to back of rod.

Base is 1½" x 3½". Optional screw on rosette available to replace set screw.

Note: Some finials & rings may require more clearance. Please call if unsure.

\*See page 59 for hooks that may also be used for tapestry applications.



# **DECO**

#### STYLE BRACKETS

continued

**Deco Brackets** feature a decorative base and provide for a solid installation.

Order by Name Price by letter group A – P

# Deco Double G



Projection: 3" & 6" Base: 1½" x 3½"

### Deco Double Center G

Use as a center support only.



Projection: 3" & 6" Base: 3½" x 1½"

When using heavy panels or spanning very wide openings, we suggest using a Deco Double bracket instead of a Center bracket.

# Deco Swivel G

Base swivels to allow installation in different positions.



Projection adjusts from 3" – 5". Base: 1½" x 3½"
Recommended as a center support for ½" & ¾" solid
French Rods. Recommended for use with arch top rods.

# Deco Custom Swivel



Specify anticipated projection. (1½" minimum)
Base: 1½" x 3½"
Recommended as a center support for ½" & ¾" solid French
Rods. Recommended for use with arch top rods.

# Deco Ceiling =

Ceiling brackets will be made to the minimum drop measured from the ceiling to the top of the rod. O.A.L. (overall length) is also indicated.



Base: 3½" x 1½"
½" rods drop = 1½", O.A.L.= 2"
½" round rods drop = 1-3/8",
O.A.L. = 2-3/8"
½" twist rods, drop = 1-5/8",
O.A.L. = 2-7/8"
1" rods, drop = 1-5/8", O.A.L. = 2-7/8"
1-5/8" rods, drop = 2-1/8", O.A.L = 4"

### **Deco Custom Ceiling**



Specify drop measured from the ceiling to the top of the rod Base: 3%" x 1%"
Note: If specified drop is less than minimum as described left, rod will not drop into the bracket and must be inserted through the side.

# Deco Pass Through G

Base swivels to allow installation in different positions.



Projection adjusts from 3" - 5". Base:  $1½" \times 3½"$ Not for ceiling installation. Not for use with French rods unless

spliced.

# Deco Custom Pass Through

Base swivels to allow installation in different positions.



Specify anticipated projection. (1½" minimum).
Base: 1½" x 3½"

Not for ceiling installation. Not for use with French rods unless spliced.

### Deco ByPass J





Assembly shown with Rod and Ring.

Available for special applications. Recommended for large curved rods or excessive spans. For use with 1-5/8" rods & Bypass brackets only. Must use 2-1/2" "C" rings. Call us to discuss your treatment.



Safety First

We recommend installation by a professional installer on all of our products!

We have endless custom capabilities; call us if you need a bracket you don't see in our catalog.



# Square STYLE BRACKETS

**Square Brackets** provide a clean look and a solid installation.

Order by Name
Price by letter group A – Z

# Square D



Projection: 3½". Base: 1½" x 3".

### Square Custom



Specify projection up to 6". Base is  $1\frac{1}{2}$ " x 3".

## Square Braced H



A welded brace is recommended for projections over 6". Specify Projection. Base is 1½" x 3".

### Square Adjustable



Projection adjusts from 3" - 4%" (3%2" - 4%" for 1-5/8" rods). Base is  $1\%" \times 3"$ . Recommended for use with bay and curved rods.

# Square Custom Adjustable ©



Specify projection (2½" min., 3½" for 1-5/8" rods) Range of adjustment is 1¼". Base is 1½" x 3".

### Square Center D

Use as a center support only.



Projection: 3½"
Base: 3" x 1½"
When using heavy panels or spanning very wide openings, we suggest using a Square bracket instead of a Center bracket.

# Square Custom Center

Use as a center support only.



Projection: 6". Specify if other. Base: 3" x 1½" When using heavy panels or spanning very wide openings, we suggest using a Square Custom bracket instead of a Center bracket.

# Square Center Adjustable

Use as a center support only.



Projection adjusts from 3" – 4¼" (3½" – 4¾" for 1-5/8" rods).

Base: 3½" x 1½"

When using heavy panels or spanning very wide openings, we suggest using a Square Adjustable bracket instead of a Center bracket.

# Square Center Custom Adjustable ©

Use as a center support only.



Specify projection.
(2½" min., 3½" for 1-5/8" rods)
Range of adjustment is 1½".
When using heavy panels or spanning
very wide openings, we suggest using
a Square Custom Adjustable bracket
instead of a Center bracket.

### Square Socket B



Base: 1½" x 3" Specify left or right. When ordering, specify exact inside mount dimensions. We will make deductions.

### Low profile Socket

Provides a minimal look.



For inside mounting.
Specify left or right.
When ordering, specify exact
inside mount dimensions. We
will make deductions.

### \*Square Tapestry



½" clearance to back of rod. Base is 1½" x 3". Optional screw on rosette available to replace set screw.

Note: Some finials & rings may require more clearance. Please call if unsure.

\*See page 59 for hooks that may also be used for tapestry applications.



# Square STYLE BRACKETS

continued

**Square Brackets** provide a clean look and a solid installation. The base is 1-1/2" x 3".

Order by Name
Price by letter group A – Z

### Square Double G



Projection: 3" & 6" Base: 1½" x 3"

### Square Double Center G

Use as a center support only.



Projection: 3" & 6" Base: 3" x 1½"

When using heavy panels or spanning very wide openings, we suggest using a Square Double bracket instead of a Center bracket.

# Square Swivel G



Projection adjusts from 3" – 5".

Base: 1½" x 3"

Recommended as a center support for ½" & ¾" solid French Rods. Recommended for use with arch top rods.

# Square Custom Swivel



Specify anticipated projection. (1½" minimum)
Base: 1½" x 3"
Recommended as a center support for ½" & ¾" solid French Rods. Recommended for use with arch top rods.

# Square Ceiling =

Ceiling brackets will be made to the minimum drop measured from the ceiling to the top of the rod. O.A.L. (overall length) is also indicated.



Base is 3" x 1½". ½" rods drop = 1½", O.A.L.= 2" ½" round rods drop = 1-3/8", O.A.L. = 2-3/8" ½" twist rods, drop = 1-5/8", O.A.L. = 2-7/8" 1" rods, drop = 1-5/8", O.A.L. = 2-7/8" 1-5/8" rods, drop = 2-1/8", O.A.L = 4"

### Square Custom Ceiling



Specify drop measured from the ceiling to the top of the rod Base is 3" x 1½".

Note: If specified drop is less than minimum as described left, rod will not drop into the bracket and must be inserted through the side.

# Square Pass Through G

Base swivels to allow installation in different positions.



Projection adjusts from 3" - 5". Base:  $1½" \times 3"$ Not for ceiling installation. Not for use with French rods unless spliced.

# Square Custom Pass Through

Base swivels to allow installation in different positions.



Specify anticipated projection. (1½" minimum).
Base: 1½" x 3½"

Not for ceiling installation. Not for use with French rods unless spliced.

### Square ByPass J





Assembly shown with Rod and Ring.

Available for special applications. Recommended for large curved rods or excessive spans. For use with 1-5/8" rods & Bypass brackets only. Must use 2-1/2" "C" rings. Call us to discuss your treatment.



Safety First

We recommend installation by a professional installer on all of our products!

We have endless custom capabilities; call us if you need a bracket you don't see in our catalog.



# ROUND

**STYLE BRACKETS** 

**Round Brackets** offer versatile style for lightweight to medium weight treatments. Base is 2" diameter, good for limited installation spaces.

Order by Name
Price by letter group A – Z

# Round D



Projection: 3½" Base: 2" round.

### Round Custom



Specify projection up to 6". Base: 2" round.

# Low profile Socket

Provides a minimal look.



For inside mounting. Specify left or right. When ordering, specify exact inside mount dimensions. We will make deductions.

### Round Adjustable



Projection adjusts from  $3" - 4\frac{1}{4}"$  ( $3\frac{1}{2}" - 4\frac{1}{4}"$  for  $1-\frac{5}{8}"$  rods).

Base: 2" round Recommended for use with bay rods, curved rods or returns.

# Round Custom Adjustable ©



Specify projection. (2½" min., 3½" for 1-5/8" rods) Base: 2" round. Range of adjustment is 1½".

# Round Double G



Projection is 3" & 6". Base: 2" round

### Round Swivel G



Projection adjusts from 3" – 5".
Base: 2" round
Recommended as a center
support for ½" & ¾" solid French
Rods. Recommended for use
with arch top rods.

# Round Custom Swivel



Specify anticipated projection. (1½" minimum)
Base: 2" round
Recommended as a center support for ½" & ¾" solid
French Rods. Recommended for use with arch top rods.

# Round Pass Through G



Projection adjusts from 3" – 5". Base: 2" round

Not for ceiling installation. Not for use with French rods unless spliced.

# Round Custom Pass Through



Specify anticipated projection. (1 $\frac{1}{2}$ " minimum).

Base: 2" round

Not for ceiling installation. Not for use with French rods unless spliced.

## Round Ceiling



Ceiling brackets will be made to the minimum drop measured from the ceiling to the top of the rod. O.A.L. (overall length) is also indicated. Base is 2" round.

½" rods drop = 1¼", O.A.L.= 2" ¾" round rods drop = 1-3/8", O.A.L. = 2-3/8"

3/4" twist rods, drop = 1-5/8", O.A.L. = 2-7/8"

1" rods, drop = 1-5/8", O.A.L. = 2-7/8" 1-5/8" rods, drop = 2-1/8", O.A.L. = 4"

# Round Custom Ceiling



Specify drop measured from the ceiling to the top of the rod Base is 2" round.

Note: If specified drop is less than minimum as described above, rod will not drop into the bracket and must be inserted through the side.

### Round ByPass J

For 1-5/8" rods only.



Available for special applications. Recommended for large curved rods or excessive spans. For use with 1-5/8" rods & Bypass brackets only. Must use 2-1/2" "C" rings. Call us to discuss your treatment.



# BLOCK STYLE BRACKETS

Block Brackets provide a minimal and modern look. Their thin, sturdy design is ideal for use with heavier treatments. Block brackets are recommended for use with heavy panels or *ONAVERSE™* and *GROMMAVERSE™* traverse rods.

Order by Name Price by letter group A - Z

### **Block Bracket**



Projection: 3½"
Base for ½" Rods: 1"x 2½"
Base for ¾" Rods: 1½"x 2¾"
Base for 1" & ¾" Twist Rods: 1½"x 3"
Base for 1-5/8" Rods: 2½"x 4½"

### **Block Custom** J

Not available for square rods.



Projection: 6½". Specify if other.
Base for ½" Rods: 1"x 2½"
Base for ¾" Rods: 1¼"x 2¾"
Base for 1" & ¾" Twist Rods: 1½"x 3"

Base for 1-5/8" Rods: 2¼"x 4½"

# Block Center

Use as a center support only.



Projection: 3½"
Base for ½" Rods: 2½" x 1"
Base for ¾" Rods: 2¾" x 1¼"
Base for 1" & ¾" Twist Rods:
3" x 1½"
Base for 1-5/8" Rods: 4½" x 2¾"

# Block Custom Center

Use as a center support only.



Projection: 6½". Specify if other. Base for ½" Rods: 2½" x 1" Base for ¾" Rods: 2¾" x 1¼" Base for 1" & ¾" Twist Rods: 3" x 1½" Base for 1-5/8" Rods: 4½" x 2¾"

### Block Double K



Projection: 3" - 6½"
Base for ½" Rods: 1"x 2½"
Base for ¾" Rods: 1½"x 2¾"
Base for 1" & ¾" Twist Rods: 1½"x 3"
Base for 1-5/8" Rods: 2½"x 4½"

# Block Double Center K

Use as a center support only.



Projection: 3" - 6½"
Base for ½" Rods: 2½" x 1"
Base for ¾" Rods: 2¾" x 1¼"
Base for 1" & ¾" Twist Rods:
3" x 1½"
Base for 1-5/8" Rods: 4½" x 2¾"

# Square Socket 3



Base: 1½" x 3"
Specify left or right.
When ordering, specify exact inside mount dimensions. We will make deductions

# Low profile (LP) Socket

Provides a minimal look.



For inside mounting.
Specify left or right.
When ordering, specify exact
inside mount dimensions. We will
make deductions.

### Block Ceiling



Ceiling bracket will be made to the minimum drop measured from the ceiling to the top of the rod. O.A.L. (overall length) is also indicated below.

½" rods drop = 1", O.A.L.= 2" ¾" round drop = 1 ½", O.A.L. = 2 ½"

3/4" twist, drop = 11/4", O.A.L. = 23/4" 1" rods, drop = 11/4", O.A.L. = 23/4"

1-5/8" rods, drop = 1-5/8", O.A.L. = 3¾"

## Block Custom Ceiling J

Specify drop measured from the ceiling to the top of the rod. Note: If specified drop is less than the minimum, the rod may not drop into the bracket and must be inserted through the side.



#### **Block Bracket - Base Dimensions**

Base for ½" Round Rods: 2½"W x 1"H Base for ¾" Round Rods: 2¾"W x 1¼"H Base for 1" Round & ¾" Twist Rods: 3"W x 1½"H Base for 1-5/8" Round Rods 4½" x 2¼"H We have endless custom capabilities; call us if you need a bracket you don't see in our catalog.



# **Heavy Duty**

All Styles
For 1-5/8" Rods

Heavy Duty Brackets for Onaverse™ Rods, 1-5/8" Diameter Rods & Heavy Panels Order by Name
Price by letter group A – Z

# Heavy Duty G



For 1-5/8" rods only.

Projection: 3½"

Base is 1¼" x 4"

1¼" wide x ¼" thick steel for heavy treatments.

### Heavy Duty Custom



For 1-5/8" rods only.
Projection: 6½"
Base is 1¼" x 4"
Specify projection if other than 6½".
Specify Base height if other than 4".

## Heavy Duty Adjustable



For 1-5/8" rods only. Projection: 3½" – 4 ¾" Base: 1¼" x 4"

# Heavy Duty Custom Adjustable

Use as a center support only.



For 1-5/8" rods only. Base: 3½" x 1½" Specify projection (3½" min). Range of adjustment is 1½".

# Heavy Duty Center



Use as a center support only.



For 1-5/8" rods only.
Projection: 3½"
Base: 3½" x 1½"
When using heavy panels or spanning very wide openings, we suggest using a Heavy Duty bracket instead of a Center bracket.

# Heavy Duty Custom Center

Use as a center support only.



For 1-5/8" rods only.

Projection: 6½". Specify if other.

Base: 3½" x 1½"

When using heavy panels or spanning very wide openings, we suggest using a Heavy Duty Custom bracket instead of a Center bracket.

# Heavy Duty Center Adjustable

Use as a center support only.



For 1-5/8" rods only.
Projection: 3½" – 4 ¾"
Base: 3½" x 1½"
When using heavy panels or spanning very wide openings, we suggest using a Heavy Duty
Adjustable bracket instead of a Center bracket.

# Heavy Duty Custom Center Adjustable K

Use as a center support only.



For 1-5/8" rods only.
Base: 3½" x 1½"
Specify projection (3½" min).
Range of adjustment is 1½".
When using heavy panels or spanning very wide openings, we suggest using a Heavy Duty Custom Adjustable bracket instead of a Center bracket.

# Heavy Duty Double



For 1-5/8" rods only. Projection: 3" & 6½" Base: 1¼" x 4"

# Heavy Duty Center Double

Use as a center support only.



For 1-5/8" rods only. Projection: 3" & 6½" Base: 3½" x 1½"

When using heavy panels or spanning very wide openings, we suggest using a Heavy Duty Double bracket instead of a Center bracket.

# Heavy Duty Staggered



For 1-5/8" rods only.
Projection: 3" & 6½"
Base: 1¼" x 4"
Under rod bracket is 3-3/8"
below the over rod bracket.

### Square Socket 3

Base: 1½" x 3"



### Low Profile Socket



For inside mounting.
Specify left or right. When
ordering, specify exact inside
mount dimensions. We will make
deductions.



# **Heavy Duty**

All Styles
For 1-5/8" Rods

Heavy Duty Brackets for Onaverse™ Rods, 1-5/8" Diameter Rods & Heavy Panels Order by Name
Price by letter group A – Z

# Square Heavy Duty ☐



For 1-5/8" rods only. Projection: 3½" Base: 1½" x 3"

# Square Heavy Duty Custom



Projection: 6½". Specify if other. Base: 1½" x 3"

# Square Heavy Duty Adjustable J



For 1-5/8" rods only. Projection: 3½" – 4 ¾" Base: 1½" x 3".

# Square Heavy Duty Custom Adjustable K



For 1-5/8" rods only.
Specify projection (3½" min).
Range of adjustment is 1¼".
Projection: 3½" – 4 ¾"
Base: 1½" x 3"

# Square Heavy Duty Center H

Use as a center support only.



For 1-5/8" rods only.
Projection: 3½"
Base: 3" x 1½"
When using heavy panels or
spanning very wide openings, we
suggest using a Square Heavy Duty
bracket instead of a Center bracket.

# Square Heavy Duty Custom Center J

Use as a center support only.



Projection: 6½". Specify if other. Base: 3" x 1½" When using heavy panels or spanning very wide openings, we suggest using a Square Heavy Duty Custom bracket instead of a Center bracket.

For 1-5/8" rods only.

# Square Heavy Duty Center Adjustable

Use as a center support only.



For 1-5/8" rods only.

Projection: 3½" – 4 ¾".
Base: 3" x 1½".
When using heavy panels or spanning very wide openings, we suggest using a Square Heavy Duty Adjustable bracket instead of a Center bracket.

# Square Heavy Duty Center Custom Adj. K

Use as a center support only.



For 1-5/8" rods only.
Specify projection (3½" min).
Range of adjustment is 1¼".
Base: 3" x 1½"
When using heavy panels or
spanning very wide openings, we
suggest using a Square Heavy
Duty Custom Adjustable bracket
instead of a Center bracket.

# Square Heavy Duty Double



For 1-5/8" rods only. Projection: 3" & 6½" Base: 1½" x 3"

# Square Heavy Duty Center Double

Use as a center support only.



For 1-5/8" rods only.
Projection: 3" & 6½"
Base: 3" x 1½"
When using heavy panels or
spanning very wide openings, we
suggest using a Square Heavy Duty
Double bracket instead of a Center
bracket.

# Heavy Duty ByPass J





Assembly shown with Rod and Ring.

Available for special applications. Recommended for large curved rods or excessive spans. For use with 1-5/8" rods & Bypass brackets only. Must use 2-1/2" "C" rings. Call us to discuss your treatment.



# **Heavy Duty**

All Styles
For 1-5/8" Rods
Continued

**Heavy Duty Brackets** for Onaverse<sup>™</sup> Rods, 1-5/8" Diameter Rods & Heavy Panels

Order by Name Price by letter group A – Z

# Deco Heavy Duty



For 1-5/8" rods only. Projection: 3½" Base: 1½" x 3½"

# Deco Heavy Duty Custom J



For 1-5/8" rods only.
Projection: 6½". Specify if other.
Base: 1½" x 3½"

# Deco Heavy Duty Adjustable •



For 1-5/8" rods only. Projection: 3½" – 4 ¾" Base: 1½" x 3½"

# Deco Heavy Duty Custom Adj.



For 1-5/8" rods only. Specify projection (3½" min). Range of adjustment is 1¼".

# Deco Heavy Duty Center

Use as a center support only.



For 1-5/8" rods only.
Projection: 3½"
Base: 3½" x 1½"
When using heavy panels or spanning very wide openings, we suggest using a Deco Heavy Duty bracket instead of

a Center bracket.

# Deco Heavy Duty Custom Center J

Use as a center support only.



For 1-5/8" rods only.
Projection: 6½". Specify if other.
Base: 3½" x 1½"
When using heavy panels or spanning very wide openings, we suggest using a Deco Heavy Duty Custom bracket

instead of a Center bracket.

# Deco Heavy Duty Center Adjustable J

Use as a center support only.



For 1-5/8" rods only.
Projection:  $3\frac{1}{2}$ " - 4  $\frac{1}{2}$ "
Base:  $3\frac{1}{2}$ " x  $1\frac{1}{2}$ "
When using heavy panels or spanning very wide openings, we suggest using a Deco Heavy Duty Adjustable bracket instead of a Center bracket.

# Deco Heavy Duty Center Custom Adj. K

Use as a center support only.



For 1-5/8" rods only.
Specify projection (3½" min).
Range of adjustment is 1¼".
When using heavy panels or spanning very wide openings, we suggest using a Deco Heavy Duty Custom Adjustable bracket instead of a Center bracket.

# Deco Heavy Duty Double



For 1-5/8" rods only. Projection: 3" & 6½" Base: 1½" x 3½"

# Deco Heavy Duty Center Double

Use as a center support only.



For 1-5/8" rods only.
Projection: 3" & 6½". Base: 3½" x 1½".
When using heavy panels or spanning very wide openings, we suggest using a Deco Heavy Duty Double bracket instead of a Center bracket.

## Deco Socket B



Base is 1½" x 3½"
Specify left or right.
When ordering, specify exact inside mount dimensions. We will make deductions.

# Low profile (LP) Socket

Provides a minimal look.



For inside mounting. Specify left or right. When ordering, specify exact inside mount dimensions. We will make deductions.



# Café

#### **Brackets**

Café Brackets for ½" rods Smaller, more delicate brackets for café panels, small tapestries, and doors.

**Order by Name** Price by letter group A -P

Café A

For ½" rods only.



Projection is 11/2" Base is 1/2" x 2" Optional screw on rosette available to replace set screw.

For lightweight treatments only.

Café Custom 3

For ½" rods only.



Specify projection Base is 1/2" x 2" Optional screw on rosette available to replace set screw. For lightweight treatments only.

Café Center C

For ½" rods only.



Projection is 11/2" Base is 2" x 1/2" Optional screw on rosette available to replace set screw. Use as a center support only. For lightweight treatments only. Café Custom Center **D** 

For ½" rods only.

Specify projection Base is 2" x 1/2" Optional screw on rosette available to replace set screw. Use as a center support only. For lightweight treatments only.

\*Café Tapestry 3

For ½" rods only.



1/4" clearance to back of rod. Base is 1/2" x 2".

\*See page 59 for hooks that may also be used for tapestry applications.

Optional screw on rosette available to replace set screw.

Note: Some finials & rings may require more clearance. Please call if unsure.

Low profile Socket 3

Provides a minimal look.



For inside mounting. Baseplate is 1-1/8" diameter. Specify left or right. When ordering, specify exact inside mount dimensions. We will make deductions.

Sash D

For ½" rods only.



Great for use on doors. Comes with a 1" screw. Baseplate is 1-1/8" diameter. Projection is 1" to clear 1"rings or rod pocket treatments.

Sash Custom 3

For ½" rods only.



Specify projection between ½" and 2-1/2". Minimum projection ½". Not recommended for projections over 2-1/2".

Block Café



Projection is 1-1/4" (the minimum) Base is 1" x 21/2"

**Screw on Rosette** 



Maiden shown

A decorative screw on rosette can be ordered to replace set screw on face of Café & Tapestry style brackets. Price rosette in addition to bracket. Specify rosette style.

We have endless custom capabilities; call us if you need a bracket you don't see in our catalog.



# **WOOD POLE**

#### **BRACKETS**

Available for: 1-3/8", 2", 2¼" & 3" diameter wood poles, specify when ordering.

**Order by Name** Price by letter group A - Z

# Wood Pole J



Specify Projection. Base: 1" x 4"

## **Wood Pole** Adjustable K



Specify anticipated projection. Bracket will be made +/- to

Range of adjustment is 11/4". Base: 1" x 4"

### **Wood Pole Center J**

Use as a center support only.



Top of bracket is flush with top of base.

Specify Projection.

Base: 3½" x 1½"

### **Wood Pole Center** Adjustable K

Use as a center support only.



Specify anticipated projection. Bracket will be made +/- to

Range of adjustment is 11/4". Base: 3" x 11/2"

### Wood Pole Double



Specify Projections. Base: 1" x 4"

### **Wood Pole Double** Center 🔀

Use as a center support only.



Specify projections. Base: 3" x 11/2"

## Deco Wood Pole



Specify Projection. Base: 11/2" x 31/2"

### **Deco Wood Pole** Braced K



Recommended for heavier treatments and projections over 6".

Specify Projection. Base: 1½" x 3 ½"

# **Deco Wood Pole** Center **J**

Use as a center support only.



Specify Projection. Base: 3½" x 1½"

### **Low profile Socket ■**

Provides a minimal look.



For inside mounting. Specify left or right.

### **Deco Wood Pole** Adjustable K



Specify projection to rod center. Bracket will be made +/- to adjust. Range of adjustment is approximately 11/4". Base: 11/2" x 31/2"

## **Deco Wood Pole** AdjustableCenter K

Use as a center support only.



Specify projection to rod center. Bracket will be made +/- to adjust. Range of adjustment is approximately 11/4". Base: 3½" x 1½"

### **Deco Wood Pole Double**



Specify projections. Base: 11/2" x 31/2"

# **WOOD POLE**

#### **BRACKETS**

Continued

Available for: 1-3/8", 2", 2¼" & 3" diameter wood poles, specify when ordering.

Order by Name
Price by letter group A – Z

# Deco Double Wood Pole Center

Use as a center support only.



Specify Projections. Base: 3½" x 1½"

# Square Wood Pole



Specify Projection. Base: 1½" x 3"

# Square Wood Pole Braced K



Recommended for heavier treatments and projections over 6".

Specify Projection.

Base: 1½" x 3"

# Square Wood Pole Adjustable **J**



Specify projection to rod center. Bracket will be made +/- to adjust. Range of adjustment is approximately 1¼".
Base: 1½" x 3"

# Square Wood Pole Center J

Use as a center support only.



Specify Projection. Base: 3" x 1½"

# Square Wood Pole Adj. Center K

Use as a center support only.



Specify projection to rod center. Bracket will be made +/- to adjust. Range of adjustment is approximately 1¼".
Base: 3" x 1½"

# Square Wood Pole Double



Specify projections. Base: 1½" x 3"

# Square Double Wood Pole Center

Use as a center support only.



Specify Projection. Base: 3" x 1½"

# Round Wood Pole J



Specify Projection.
Base: 2" round

# Round Wood Pole Adjustable K



Specify projection to rod center. Bracket will be made +/- to adjust. Range of adjustment is approximately 1¼". Base is 2" round.

# Round Wood Pole Double



Specify Projections. Base is 2" round.

# Round Wood Ceiling **J**



Deco and Square base available upon request. Specify the required drop as measured from the ceiling to the top of the rod. Note: Minimum drop must be 3/8" over rod diameter otherwise the rod will not drop into the bracket and must be inserted through the side.



#### **HOLDBACKS & SWAG HOLDERS**

Rosettes are not included and are priced separately. Order by name. Price by letter group A – Z



#### Post Mount B+Rosette

Rosette and mount priced separately. Specify Rosette style. Base is 2" round. Provides a sturdy installation. Projection adjusts from 3" - 5". Custom projection available.

Rosette: Sun / Finish: Henna



#### Mini Mount B+Rosette

Rosette and mount priced separately. Specify Rosette style. Base is 1-1/8" round. For petite applications. Not recommended for Rosettes over 3" diameter. Projection: 2". Custom projection available.

Rosette: Jillian / Finish: Brushed Nickel



#### Wrap Around Mount B+Rosette

Rosette and mount priced separately. Specify Rosette style. Arm is 5" W x 5" L.

Custom dimensions available.

Rosette: Fila / Finish: Brushed Nickel



#### Wrap Around Mount B+Finial

Finial and mount priced separately. Specify Finial style. Arm is 5" W x 5" L. Custom dimensions available.

Finial: Seville / Finish: Brushed Nickel



#### Mini Ball Wrap Around

Arm is 5" W x 5" L. Includes Mini Ball finial. 1" diameter. Custom dimensions available.

Finish: Gilded Silver



#### Mini Cylinder Wrap Around

Arm is 5" W x 5" L. Includes Mini Cylinder finial, 3/4" W x 1" L Custom dimensions available.

Finish: Gilded Silver



#### Mini Cube Wrap Around

Arm is 5" W x 5" L. Includes Mini Cube finial, ¾" W x ¾" L

Custom dimensions available.

Finish: Gilded Silver



#### Hammered End Wrap Around D

Arm is 5" W x 5" L. End is hammered. Custom dimensions available.

Finish: Pewter



#### Swing Loop

Loop is 7" wide. Length is 14". End is hammered.

Finish: Brushed Nickel



#### Spike Holdback C

Spike has 3½" projection. Base is 2" round.

Finish: Aged Iron



#### Spike Screw Holdback •

Spike has 3½" projection. Specify screw length if other than 11/2". If you plan to install directly into drywall, the Spike Holdback with 2" round base is recommended

Finish: Burnished Bronze



#### Large Rings A

O.D. 4", 4½", 5", 5½", 6". Rings are ½" thick (subtract 1" from O.D. to determine I.D.). Can be used on rods for swags. Specify ring size. All sizes are same price group per ring.

Finish: Aged Iron



### Flat Ring Swag Holder

Ring is 4" O.D. x 3" I.D. Base is 2" round. Projection adjusts from 3"-5".

Finish: Brushed Nickel



#### Ring Swag Holder 3

Can be ceiling mounted. Ring is 4" O.D. x 3" I.D. Base is 2" round. Length of stem is 1½".

Finish: Burnished Bronze



#### Flat Square Swag Holder

O.D. Measures 5" x 31/2". Base is 2" round. Projection adjusts from 3"-5".

Finish: Pewter



#### Square Swag Holder

Can be ceiling mounted. O.D. measures 5" x 31/2". Base is 2" round. Length of stem is 1%".

Finish: Antique Brass



#### Ring Swag Holder with Rosette

Rosette & swag holder priced separately. Specify Rosette style. Rosette: Celestial Finish: Versailles



#### Heart Swag Holder

Ceiling Mount. 5" drop x 4" wide. Includes wood and toggle screws. Finish: Havannah



### Double Swag Holder C

Twin hooks at 45 degrees give lots of options for swags. 4¾" tall x 4½". Base is 2" wide.

Hook I.D. is 134"

Finish: Brushed Nickel



#### Welded Screw or Tab

Specify screw length if other than 1½". Tab is ½" wide x 1½" long. Specify Rosette / Finial style. If you plan to install directly into drywall, a post mount is recommended.





#### **HOOKS & PEGS**

Order by name. Price by letter group A - Z

#### Large Hook

Hammered end. Use with corded tassels. Use with large rings for Swags.

Hook is 3" x 3", Base is 31/4". Finish: Pewter



## Forged Hook C

Use with corded tassels. (Can also be used to bracket 34" round rods for tapestries.) Hook is 2" x 4", Base: 2". Finish: Sepia



#### Screw Hook 3

Use with corded tassels. (Can also be used to bracket ¾" round rods for tapestries.) Hook is 7/8" x 3½" x ¼" thick. Finish: Aged Iron



#### Ball Peg A

¾" diameter. 1½" wood screw attached. (petite size) Finish: Pewter



#### Decor Hook

Wall or ceiling mount. (Can also be used to bracket 1" round rods for tapestries.) Hook is 2½" long x 2" wide. Base is 1-1/8" diameter.



#### Vogue Hook 3

Hook is 1½" x 5", Base: 2". Finish: Natural Iron



#### Round Peg 🖪

1¼" diameter. 2" wood screw attached.

Finish: Espresso



#### Diamond Peg A

1" x 1". 2" wood screw attached. (petite size) Finish: Havannah



#### Orial Hook

Wall or ceiling mount. (Can also be used to bracket 1" round rods for tapestries.) Hook is 2½" long x 2" wide. Base is 2½" diameter.

Finish: Heirloom



#### Twist Hook

Hook is 1½" x 5", Base: 2".

Finish: Henna



#### Square Peg 🖪

1¼" diameter. 2" wood screw attached.

Finish: Antique



#### Petite Hook

Use with corded tassels. (Can also be used to bracket ½" round rods for tapestries.) Hook is ½" x 1¾" Base: 1-1/8".

Finish: Antique Brass



#### Wall Hook A

Use with corded tassels. (Can also be used to bracket 34" round rods for tapestries.) Hook is 7/8" x 4½" x ¼" thick. Finish: Pewter



#### Songbird Peg

Screw along top of wood rods, cornice boards etc... 3-5/8" wide x 2" tall. 1" wood screw attached.

Finish: Gilt



#### **Jewelry Hook**

Use to adorn drapery panels. Push pin hook welded to back. Specify Rosette or Finial style. Finial: Daphne / Finish: Gold





# Nail Peg \Lambda

1-1/8" diameter. 1½" wood screw attached. (petite size) Finish: Henna



Rosettes do not include mounts. Mounting options are priced separately. Order by name. Price by letter group A - Z

### **Mounts for Holdbacks and Centerpieces**

#### Post Mount B+Rosette

Rosette and mount priced separately. Specify Rosette style. Base is 2" round. Provides a sturdy installation.

Projection adjusts from 3" - 5". Custom projection available.

Rosette: Sun / Finish: Henna

#### Mini Mount B+Rosette

Rosette and mount priced separately. Specify Rosette style. Base is 1-1/8" round. For petite applications. Not recommended for Rosettes over 3" diameter. Projection: 2". Custom projection available.

Rosette: Jillian / Finish: Brushed Nickel

#### Wrap Around Mount B+Rosette

Rosette and mount priced separately. Specify Rosette style. Arm is 5" W x 5" L. Custom dimensions available.

Finial: Fila / Finish: Brushed Nickel







Annette (4¼" x 4¼") Finish: Henna



Bayard (4" x 61/4") Finish: Nutmeg





Blancha (3¼" x 6½") Finish: Gilded Silver



Bloom (3" x 3") C Finish: **Brushed Nickel** 



Bria (5" x 3") Finish: Mineral



Brighton (2¾" x 3¼") Finish: Antique Brass







Bristol (5½" x 5½") Finish: Brushed Nickel



Celeste (4" x 4") Finish: Bronze



Celestial (2½" x 6") Finish: Sable



Champlain (4½" x 4½") **C** Finish: Gilt





Rosettes do not include mounts. Mounting options are priced separately. Order by name. Price by letter group A - Z





Crest (3¼" x 5¼") Finish: Heirloom



Delray (7" x 7") Finish: Antique Brass


Coiled Rope (4½" x 4½")

Finish: *Havannah* 



Coyne (1½" x 1½")

Details (4½" x 4½") Finish: Ash



Crescent (4" x 3½")

Disc (3") = Disc (4") Finish: Brass



Dome (2") A Dome (3") B Dome (4") **C** Finish: Brushed Nickel



Elegant (4¾" x 4¾") C Finish: Hammered Steel



Elle (5" x 4") D Finish: Gold Dust



Enchante Large (4½" x 4½") Finish: Versailles



Enchante Small (3" x 3") Finish: Pewter



Fila (3½" x 3½") 3 Finish: Bushed Nickel



Fleur (3¼" x 4") Finish: Champagne



Fleur-de-lis (3" x 4") Finish: Gold Blush



Flora (3¾" x 3¾") **D** Finish: Nutmeg



Fluted (3½" x 3½") **D** 





Forget-me not (1¾" x 1¾") A Finish: Moss



Geranium (4" x 4") Finish: Havannah





Rosettes do not include mounts. Mounting options are priced separately. Order by name. Price by letter group A - Z

Greco (4½" x 2¼") 3 Finish: Heirloom





Lotta (3¼" x 3¼") B Finish: Leather



Marguerite (2" x 2") A Finish: Henna



Mia (3" x 3") Finish: Pearl



Hera (3¼" x 3¼") C Finish: Versailles



Jillian (2" x 2") A Finish: Natural Iron



Maiden (1" x 1") (petite size) Finish: Gilt



Finish:

Mayan (2" x 2") A Champagne



Minjonet (21/4" x 21/4") Finish: French Blue



Hollow Leaf (7½" x 3")



Jolie (4" x 4") **C** Finish: Hammered Steel



Mantle Leaf (4½" x 6") Finish: Havannah



Maze (3" x 3") **C** Finish: Aged Iron



Mirabel (2" x 2") A Finish: Gilt



Honcho (2" x 31/4" ) Finish: Espresso



Kendal (4¾" x 4¾") C



Maple Small (2" x 2") A Maple Large (4" x 4") Finish: Antique



Medallion (2½" x 2½") 🗚 Finish: Pewter



Monet (1½" x 1½") Finish: Hammered Steel






Rosettes do not include mounts. Mounting options are priced separately.

Order by name. Price by letter group A - Z



Nikita (1¼" x 1¼") 🛕 (Petite Size) Finish: Hammered Silver







Finish: Pewter Palladian (4½" x 10¾")

Petals (3½" x 3½") Finish: Black

Petone Small (4¼" x 4¼") Petone Large (6" x 6") Finish: Leather

Petunia (2½" x 2½" ) A Finish: Antique Brass









Pleasance (4" x 7") Finish: Sable

Quarto (3½" x 3½") Finish: Beijing

Richmond (8¾" x 8¾") (Big Size!) Finish: Champagne

Ripple (2½" x 2½") A Finish: Chalet









Rochester Large (3¾"x 3¾") Rochester Small (21/4" x 21/4")

Rose (2¼" x 2¼") A Finish: Pearl

Royce (7" x 7") **G** Finish: Sepia

Rustica (3¾" x 3¾") Finish: Black









Scalloped (4" x 4") Finish: Henna



Shasta (3½" x 3½") B

Shooting Star (4" x 4") Finish: Black




Snowflake (6½" x 6½") **D** Finish: Gold Blush



Rosettes do not include mounts. Mounting options are priced separately.

Order by name. Price by letter group A - Z





Sun Flower (4" x 4") **B** 



Villa Small (3" x 3") E
Villa Large (3½" x 3½") C
Finish: Hammered Silver



**Wave** (4½" x 4½") **D** Finish: *Black* 



Square Small (2½" x 2½") Square Large (3½" x 3½") C Finish: Hammered Steel



Superstar Small (3" x 3") A Superstar Large (4" x 4") B Finish: Black



Vision (3" x 3") C Finish: Aged Iron



Westchester (4¼" x 4¼") C Finish: Heirloom



Starburst (3" x 3" ) B
Finish: French Blue



Traditional (4" x 6") E



Wallingford (6½" x7½")



Western Star (5" x 5") C Finish: Burnished Bronze



Sun (3" x 3") A Finish: Black



Verbena (3¼" x 3¼") E Finish: Moss



Warrington (3¾" x 5½") C Finish: Antique Brass



Windsor (5¼" x 5¼") **D** 





### **NOVELTY ROSETTES**

Rosettes <u>do not</u> include mounts. Mounting options are priced separately.

Order by name. Price by letter group A - Z



Apple (2½" x 3½") A

Orientation as shown

Finish: Beijing



Aztec (4½" x 4½") E Finish: Natural Iron



Bear (5½" x 4½") Finish: Burnished Bronze



Butterfly (5" x 4") C

Pewter



Chardonnay (2¼" x 4½")



**Crab** (5½" x 5½") **D** Finish: *Black* 



Deer (5¾" x 5¾") Finish: Nutmeg



Dragon Fly (5½" x 4") C Finish: Versailles



Duck (6¼" x 5¼") Finish: Antique



**Elk** (5¾" x 5¾") **Finish:** *Sepia* 



Frog (4" x 4") C Finish:



Horse Shoe (5" x 5") C Finish: Black



Moose (5¾" x 5¾") Finish: *Moss* 



Palm Tree (4¼" x 5½") Dorientation as shown Finish: Antique Brass



Pear (2" x 3¼") A

Orientation as shown

Finish: Gold



Pony Shoe (3¼" x 3¾") C Finish: Havannah



Rooster (4½" x 5") C
Orientation as shown



Sea Horse (2½" x 6") C

Orientation as shown

Finish: Pewter



Turtle (3¼" x 5") D



#### **CENTERPIECES**

Centerpieces <u>do not</u> include mounts. Mounting options are priced separately. Post Mounts are recommended for most applications.


Order by name. Price by letter group A - Z

Acorn Motif Center (12" x 4½")

Finish: Sepia

Grape Motif Center (13¾" x 5¼")

Finish: *Henna* 



Acorn Moti<u>f</u> Left

(4" x 7") **G** Finish: *Sepia* 



**Acorn Motif Right** 

(4" x 7") **G** Finish: *Sepia* 



Grape Motif Left

(5¼" x 7½") **G** 

Finish: Henna



**Grape Motif Right** 

(5¼" x 7½") **G** 

Finish: Henna



Rose Motif Center (13" x 51/4")

Finish: Beijing



Classic Motif Center (13½" x 7")

Finish: Versailles



**Rose Motif Left** 

(4" x 8") **G** 

Finish: Beijing



Rose Motif Right

(4" x 8") **G** 

Finish: Beijing



**Classic Motif Left** 

(4" x 8") **G** 

Finish: Versailles



**Classic Motif Right** 

(4" x 8") **G** 

Finish: Versailles



√A`

### **SAMPLES**

#### **FINISH SAMPLES**

Finish Sample sets are available for purchase. We will send up to three individual finish samples at no charge upon request. Additional individual finish samples may be subject to charge.









**Super Premium Finish Set** 

#### **CUSTOM FINISHING**

We can custom match or create almost any custom finish to your specifications. A custom matching and finishing charge will apply. This service will include a strike off for your approval.

#### **ROD CUTTINGS**

We will send one random length rod cutting up to 10" at no charge upon request. Finish Sample sets are available for purchase. Additional rod cuttings may be subject to charge.

#### **SHOWROOM SAMPLES**

Order any of our hardware for display in your showroom at a discount. All showroom sample orders require prior approval to receive additional discounting. Please call to discuss your needs.

#### SAMPLE BOARDS

Increase your sales with our Custom Iron sample display boards. Five board display (shown below) measures 26" wide by 30" tall and features our more popular styles and finishes. Wall mount rack is included. Custom displays to your specifications are available upon request and subject to additional charges.



#### (Actual items displayed may vary from picture)

**WARRANTY** - Ona Drapery Hardware manufactured goods are warranted free from defects in material and workmanship for five years from date of shipment. BTX®motorization kit is warranted free from defects in material and workmanship for three years from date of shipment. This warranty does not apply to wear resulting from normal usage, damage from mishandling, abuse, or exposure due to climatic conditions over which it has no control. This warranty does not cover removal or reinstallation costs.

**RETURNS** - All custom iron drapery hardware including rods made to your specifications are non-returnable. Ona Acrylic and ArtGlass components are custom made per order and are non returnable. Premium and Super Premium finishes are non-returnable. Standard components, including rings finials and brackets may be returned and are subject to a 25% restocking fee. No returns will be accepted after 45 days from shipment. All returns require prior approval.

**INSTALLATION** – Professional installation into studs or wood backing is recommended. Mounting hardware is included, but may not be appropriate for every installation. Touch up paint is included to match the screw heads if alternate mounting hardware is required. The selection, use, and procurement of proper mounting hardware lies solely with the installer. Ona Drapery Hardware Company will not be held liable for damages or injury resulting from improperly installed or inadequately supported hardware.



ONA DRAPERY HARDWARE COMPANY INC. 5320 Arapahoe Ave., Boulder, Co. 80303 1-800-231-4025 / FAX 1-888-231-4026 www.onadrapery.com

PRINCETED REST-CLASS MAS U.S. POSTAGE PAID DENVER, CO PERMIT HID 2278









